

DC-2

DEGREASE-IT

Enzyme-Like Degreaser

HIGHLY CONCENTRATED

This Highly Concentrated, Freshly Scented formula removes, grease, oil and grease buildup from most surfaces.

FEATURES:

Formulated for slip proof floors - With Minimal Residue

ADVANTAGES:

Economical To Use – Fast & Effective – Multi-Use Applications

BENEFITS:

User Friendly – Environmentally Friendly – Can Be Diluted Up To 128:1

APPLICATIONS:

Concrete Floors & Walkways – Dumpster Pads – Quarry Tile Floors – and many more! Great for commercial kitchen floors and Automotive Service Bays.

DIRECTIONS FOR USE:

- > Scrap and remove all heavy debris from surfaces.
- > Apply solution directly on to surface.
- > Allow to stand for 2 to 5 minutes.
- > Agitate using a brush.
- > Rinse surface using clear water and a clean mop.

DIRECCIONES PARA SU USO:

- > Frote y remueva todas las manchas fuertes de la superficie.
- > Aplique la solución directamente sobre la superficie.
- > Deje reposar por 3 a 5 minutos.
- > Frote utilizando hadilla.
- > Enjuague la superficie utilizando agua limpia y una esponja o trapo limpios.

SPECIFICATIONS:

Color: Green Liquid

Fragrance: Clean Scent

pH Range: 10 - 11 @ 1:5 Dilution Hydroxide

Dilution Ratio: See Container Label

Viscosity: Concentrated Liquid

Conditions to Avoid: Contains Potassium

The use of protective gloves is recommended.



IntellaPro[®]
Technologies

DEGREASE-IT Multi Purpose

DC-2

IntellaPro Technologies
Cincinnati, Ohio
USA

MATERIAL SAFETY DATA

DEGREASE IT

EMERGENCY NUMBERS

CHEM - TEL

1-800-255-3924 CONTINENTAL USA

1-813-248-0585 INTERNATIONAL

DATE OF ISSUE: 07-07-06

SUPERSEDES: 07-23-03

HMIS HAZARDS RATING

HEALTH: 3

FIRE: 1

REACTIVITY: 1

SPECIFIC HAZARD: ALKALI

IDENTIFICATION:

PRODUCT NAME: DEGREASE IT

PRODUCT TYPE: ALKALINE DETERGENT CLEANER

HAZARDOUS INGREDIENTS:

	%	TLV/TWA	STEL
POTASSIUM HYDROXIDE	<10	2mg/M3	
CAS# 1310-58-3			
2 BUTOXYETHANOL	<10	120mg/M3	
CAS# 111-76-2			

PHYSICAL DATA:

APPEARANCE AND ODOR: CLEAR AQUA BLUE LIQUID WITH MINT ODOR

SOLUBILITY IN WATER: COMPLETE

PH: 14

BOILING POINT: 212F

SPECIFIC GRAVITY (WATER=1): 1.10

FIRE AND EXPLOSION DATA:

SPECIAL FIRE HAZARDS: NO UNUSUAL HAZARDS

FIRE FIGHTING METHODS: USE SELF CONTAINED BREATHING APPARATUS WITH FULL FACE MASK

REACTIVITY DATA:

STABILITY: STABLE

CONDITIONS TO AVOID: EXTREME TEMPERATURES, STRONG ACIDS AND OXIDIZERS,
ALSO REACTS WITH METALS TO FORM FLAMMABLE GAS.

UNK: UNKNOWN AT THIS TIME
C: CEILING LIMIT

TLV: THRESHOLD LIMIT VALUE
STEL: SHORT TERM EXPOSURE LEVEL

SPILL OR LEAK PROCEDURES:

CLEAN UP: SMALL SPILLS-ABSORB WITH CLAY OR ANY OTHER SUITABLE ABSORBENT.
LARGE SPILLS- ABSORB WITH CLAY OR ANY OTHER SUITABLE ABSORBENT THEN SHOVEL INTO APPROVED CONTAINERS.

DISPOSAL: DISPOSE OF IN ACCORDANCE TO LOCAL, STATE, AND FEDERAL REGULATIONS.

HEALTH HAZARD DATA:

EFFECTS OF OVEREXPOSURE:

EYES: MODERATE SEVERE IRRITATION AND POSSIBLE TISSUE DAMAGE DEPENDING ON EXPOSURE.

SKIN: PROLONGED SKIN CONTACT MAY CAUSE MODERATE IRRITATION, DERMATITIS.

INGESTION: MAY CAUSE NAUSEA, VOMITING, AND DIARRHEA.

FIRST AID:

EYES: FLUSH EYES IMMEDIATELY WITH LARGE QUANTITIES OF WATER FOR FIFTEEN(15) MINUTES. GET MEDICAL ATTENTION.

SKIN: REMOVE CONTAMINATED CLOTHING AND WASH WITH PLENTY OF WATER AND SOAP.

INGESTION: GIVE LARGE QUANTITIES OF WATER, THEN SEVERAL GLASSES OF MILK . INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

** IF IRRITATION PERSISTS, CALL A PHYSICIAN **

SPECIAL PROTECTION INFORMATION:

EYES: PROTECTIVE GLASSES/SAFETY SHIELDS ARE REQUIRED

SKIN: PROTECTIVE GLOVES, USE ADEQUATE VENTILATION WHEN USING IN AN ENCLOSED AREA.

* EYE WASH STATIONS OR OTHER SOURCES OF RUNNING WATER SHOULD BE AVAILABLE*

* WASH HANDS THOROUGHLY AFTER USE **

WASTE DISPOSAL: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

KEEP OUT OF REACH OF CHILDREN

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT WITH RESPECT TO THE FORMULA USED TO MANUFACTURE THE PRODUCT. AS DATA, STANDARDS, AND REGULATIONS CHANGE, AND CONDITIONS OF USE AND HANDLING ARE BEYOND OUR CONTROL, NO WARRANTY EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: POTASSIUM HYDROXIDE SOLUTION

HAZARD CLASS: 8

UN #: UN1814

PACKING GROUP: II

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT WITH RESPECT TO THE FORMULA USED TO MANUFACTURE THE PRODUCT. AS DATA, STANDARDS, AND REGULATIONS CHANGE, AND CONDITIONS OF USE AND HANDLING ARE BEYOND OUR CONTROL, NO WARRANTY EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.